



HSI Fire and Safety Group

107 Garlisch Drive
Elk Grove Village, IL 60007
www.homesafeguard.com
expert@homesafeguard.com

L-13978

Prepared For:
Home Safeguard Inc.

P: 1 (847) 427-8340

F: 1 (847) 427-8343

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product name: CoCheck™
Product code: I-13978
Manufacturer's Name: Bridgeview Aerosol, Llc
Address: 8407 S. 77th Avenue Bridgeview, IL 60455
Emergency phone: 708-598-7100
Information phone: 708-598-7100

SECTION 2 – HAZARDS IDENTIFICATION

Inhalation Health Risks And Symptoms Of Exposure

Asphyxiation, dizziness, nausea, vomiting, drowsiness, possible unconsciousness. intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

Skin And Eye Contact Health Risks And Symptoms Of Exposure

Skin: none known.
Eyes: none known.

Skin absorption health risks and symptoms of exposure:

Not easily absorbed. None known.

Ingestion health risks and symptoms of exposure:

Not a likely route of exposure.

Health hazards (acute and chronic):

Acute: asphyxiation.
Chronic: none known.

Carcinogenicity:

NTP carcinogen: No
IARC monographs: No
OSHA regulated: No

Medical conditions generally aggravated by exposure:

None known.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Reportable components	CAS number	Vapor pressure mm Hg @ temp	Weight percent
Argon	7440-37-1	47500 70° F	90-100

~ No toxic chemical(s) subject to the reporting requirements of section 313 of title III and of 40 CFR 372 are present.~

SECTION 4 – FIRST AID MEASURES

Emergency and first aid procedures:

Inhalation: Remove to fresh air. administer oxygen if needed. apply artificial respiration if breathing has stopped.
Get medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

Flash point:

None

Method used:

N/A

Flammable limits in air by volume:

Lower: None

Upper: None

Extinguishing media:

None

Special firefighting procedures:

Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. If water is used, fog nozzles preferred. Wear goggles and self-contained breathing apparatus.

Unusual fire and explosion hazards

Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled:

Ventilate area.

SECTION 7 – HANDLING AND STORAGE

Precautions to be taken in handling and storing:

Store and use in cool, dry, well-ventilated areas. Do not store above 120° F. do not puncture or incinerate (burn) cans. Do not stick pin, nail or any other sharp object into opening on top of can. See product label for additional information.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

Precautions:

Small pressurized containers of flammable products may be stored in areas suitable for ordinary combustibles with respect to construction, drainage, control of ignition sources, and ventilation except that they should not be stored in basements.

Respiratory protection:

None under normal use.

Ventilation:

Sufficient to prevent inhalation of gas.

Protective gloves:

Not required.

Eye protection:

None under normal use.

Other protective clothing or equipment:

None under normal use.

Work/hygienic practices:

None under normal use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Boiling range:

Not applicable

Evaporation rate:

Faster than ether

Specific gravity:

(H₂O=1): N/A

Solubility in water:

NIL

Vapor density:

Heavier than air

Appearance and odor:

Aerosol product, no odor

SECTION 10 – STABILITY AND REACTIVITY

Stability:

Stable

Conditions to avoid:

Storage above 120° F.

Incompatibility (materials to avoid):

None known.

Hazardous decomposition or byproducts:

None known.

Hazardous polymerization:

Will not occur

SECTION 11 – TOXICOLOGICAL INFORMATION

Long-term toxicological studies have not been conducted for this product.

SECTION 12 – ECOLOGICAL INFORMATION

Long-term ecological studies have not been conducted for this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal method:

Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this MSDS for hazard caution information.

SECTION 14 – TRANSPORT INFORMATION

By land:

DOT proper shipping name: UN1956, Compressed Gas, n.o.s. (Argon, Carbon Monoxide, 2.2, SP-11516)

By water:

DOT proper shipping name: UN1956, Compressed Gas, n.o.s. (Argon, Carbon Monoxide, 2.2)

By air:

DOT proper shipping name: UN1956, Compressed Gas, n.o.s. (Argon, Carbon Monoxide, 2.2)
(packing instruction 200 applies)

SECTION 15 – REGULATORY INFORMATION

All ingredients are either listed on the TSCA inventory or are exempt.

SECTION 16 – OTHER INFORMATION

Date printed:

01/01/2012

Name of preparer:

ESP

HMIS codes:

H-1 F-2 R-0 P-

The information contained herein is based on data considered accurate. However, No warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.